


# MM-80 Cardioid Vocal Microphone

## Features

- MM-80 equips an MU-80 premium cardioid condenser capsule module and features superb directionality and feedback suppression. Sustains excessive volume without distortion. It is ideal for most singers in live performances or most people in the KTV.



## Specifications

Capsule Module	MU-80
Polar Pattern	Cardioid
Capsule Installation	Interchangeable
Housing	Die-cast zinc alloy
Sensitivity	-46±3 dBV / Pa, switchable gain settings of -6 dB on the capsule.
Frequency Response	50 Hz ~ 20 kHz, at 94 dB SPL
Self-Noise	< 17 dBA SPL
S/N Ratio	> 78 dB, at 94 dB SPL
Max. Input SPL	149 dB
Dynamic Range	132 dB
Power Supply	External phantom power 12 ~ 48 V DC
Current Consumption	2.0 mA
Output Impedance	200 Ω
Dimensions	51 × 200 mm (Ø×L)
Weight	Approx. 410 g
Note	Refer to the actual product in the event of product description discrepancy.



### MIPRO Electronics Co., Ltd

Headquarters: 814 Beigang Road, Chiayi, 600079, Taiwan  
Tel: +886.5.238.0809 | Fax: +886.5.238.0803  
www.mipro.com.tw | mipro@mipro.com.tw

Specifications are subject to change without prior notice. MI022/01